



City of Aberdeen
Weekly Activity Report
October 4 - 10, 2026

I. City Hall

A. Department of Finance

B. Department of Planning and Community Development (DPCD)

C. Department of Public Works (DPW)

1) City Engineering & Administration

2) Maintenance Division

3) Water/Wastewater Plant Operations

D. Human Resources Department

II. Aberdeen Police Department (APD)

A. APD Calls for Service

B. Weekly Traffic Report

C. IT

D. Accreditations

E. Administration

F. 24 Hour Reports

I. City Hall
A. Department of Finance
Weekly Update

Receipts for the week were:

1. General Fund	\$ 442,238
2. Capital Projects Fund	0
3. Water & Sewer Funds	111,223
4. Stadium Fund	0
Total	<u>\$ 553,461</u>

Disbursements for the week were:

1. General Fund	\$ 649,820
2. Capital Projects Fund	0
3. Water & Sewer Funds	444,794
4. Stadium Fund	0
Total	<u>\$ 1,094,614</u>

Significant Receipts:

1. N/A

Significant Disbursements:

- | | |
|------------------------------|-----------|
| 1. Payroll | \$512,314 |
| 2. Sewer Interceptor Project | \$252,629 |

Cash Balances as at 9/30/26:

1. General & Capital Projects Funds	\$32,452,991
2. Water Fund	14,718,447
3. Sewer Fund	11,628,831
4. Stadium Fund	2,445,143
Total	<u>\$61,245,412</u>

B. Department of Planning and Community Development (DPCD)

The following activities and actions took place this week:

1. Attended project management meeting to discuss ongoing and recently approved developments.
2. Attended the Route 40 Business Association Meeting; assisted with drafting new By-Laws for the Board of Directors.
3. Attended a meeting with the MD Department of General Services to discuss the grant application process before submitting the intake form.
4. Attended the Design Meeting with Harford County Department of Parks and Recreation for the Aberdeen Activity Center. Here is a summary of the progress for the project:
 - A. Site Resources, Inc. (SRI) discussed the Geotechnical Report and SWM design
 - 1) City of Aberdeen (COA) is currently reviewing the use of impermeable liners at the SWM facilities.
 - 2) Rolla Chng, City Engineer is going to reach out to MDE as part of her review.
 - 3) Unsuitable soil to have an allowance for managing cost during construction.
 - B. SRI discussed the SHA Access Permit Review and will follow up with RK&K and SHA.
 - 1) Test existing shoulder construction or plan for full depth paving.
 - 2) SRI to have testing done on shoulder, but will show full depth paving until testing results are received.
 - 3) Harford County wants to install rapid flashing beacons for the crosswalk.
 - 4) Right turn lane requested by Harford County for Middleton Road was superseded by the initial Site Design approval.
 - 5) SRI to get confirmation that original letter dated Oct 23, 2025, is no longer required.
 - 6) SRI has reduced the median to maintain full movement into and out of the entry to the adjacent community development.
 - 7) SHA is requiring a Right to Discharge plat.
 - 8) A Right of Way plat and / or an easement were not required.
 - 9) SRI to use testing allowance to provide Right to Discharge plat effort.
 - 10) SRI to reduce the width of the pedestrian area of refuge at the median from 12' to 6' per SHA request.
 - 11) SRI removed the curb that closed off the shoulder as requested by SHA to maintain bicycle use of the shoulder.
 - 12) SRI to request maintaining the crosswalk at the Activity Center entrance.
 - C. Harford County discussed building permit and procurement process
 - 1) Building permit is issued by City of Aberdeen
 - 2) Harford County needs 3-4 months from building permit approval for their procurement process to advertise for bidding.
 - D. JMT Architecture discussed architectural and structural design progress
 - 1) Exterior materials selected.
 - 2) Dave Recchia has requested new samples of the siding to select color.
 - 3) Updated lobby design.
 - 4) Sloped sill at Gym windows.
 - 5) Roof height adjustment for operable partitions, structure at window openings and coordination with low roof.
 - 6) HFCO requested a better water barrier under the slab on grade.
 - 7) JMT provides a bentonite water barrier as an add alternate.
 - 8) HFCO requested no electrified hardware
 - 9) BKM discussed MEP design progress
 - 10) New BGE pole required for 3-phase primary service

- 11) New pole to be located adjacent to existing pole at NW corner of site.
- 12) Wright Engineering indicated that data lines may want to share use of the new BGE pole.
- 13) Guy wire that needs relocation could potentially be added to new power pole project for BGE; will need a support pole across the street to tie into.
- 14) BGE work to be paid for by Harford County and not part of construction contract.
- 15) Site lighting to be located at parking islands.

E. Project Schedule was discussed and the next design review meeting is scheduled for November 4th.

5. Submitted request for payment to MD DHCD for the FY2026 Mainstreet Improvement Program for expenses relating to marketing and promotion.
6. Sent funding request to Hello Harford for a joint event (Sip, Savor, and Celebrate Two Cities) to be held at Swan Harbor Farm in April 2027. This will be an inaugural event for the Cities of Havre de Grace and Aberdeen.
7. Attended meeting with Marco Priolo with University of MD Upper Chesapeake Aberdeen Medical Campus.

Permits Processed – Residential

Address	Type	Value of Construction
915 Eleanor Drive	Fence	\$6,000.00
855 Forgans Drive	Deck	\$9,300.00
606 Southgate Road	Alteration	\$0
522 Windemere Drive	Basement Gutter	\$3,300.00

Total:4

\$18,600.00

Permits Issued this Week:

Address	Type	Value of Construction
606 Southgate Grill	Alteration	\$0
521 Walker Street	Renovation	\$152,000.00
855 Forgans Drive	Deck	\$9,300.00
356 Walker Street	Solar Panels	\$23,940.00
36 Lewis Drive	Covered Porch	\$3,000.00
18 Graceford Drive	Solar Panels	\$24,795.00
402 Chadsworth Court	Solar Panels	\$30,780.00
915 Eleanor Drive	Fence	\$6,000.00
332 Mount Royal Avenue	Garage Conversion	\$29,400.00

Total: 9

\$279,215.00

Amended Permits:

811 Forgans Drive – Change location of porch steps

Plans still under review at DILP and/or Health Department:

1102 S Philadelphia Blvd. – Tiltwall Shell Warehouse; 629 S Philadelphia Blvd. – ALLROADS Addition; 12 Newton Road – New Building; 783 W Bel Air Avenue – Alteration; 48 Aberdeen Avenue – Screen Room Addition; 110 S Philadelphia Blvd. – Renovation; 949 Beards Hill Road – Alteration; 949 Beards Hill Road – Roof Alteration; 37 W. Bel

Air – Tenant Fit-Out; 31 Lincoln Avenue – Solar Panels; 25 Lincoln Avenue – Solar Panels; 24 Pritchard Avenue – Solar Panels; 35 Lincoln Avenue – Solar Panels; 315 Mt Royal Avenue – Addition; 621 S. Philadelphia Road – Interior Alterations; 100 Rock Glenn Blvd. – Interior Alterations; 748 Everist Drive – Solar Panels; 811 Leni Way – Solar Panels; 121 S. Philadelphia Blvd. – Tenant Fit-Out; 89 Norman – Amendment; 719 S Philadelphia Blvd. – Amendment; 210 Research Blvd. – Interior alteration;

The Preserve at Gilbert Meadows:

176 Total Lots

Total # of Permits Applied for – 176.

Total # of permits released: 176 (83 SFD/93 TH)

Total # of Type I Certificates of Occupancy released – 17.

Total # of Type II Certificates of Occupancy released – 150.

Aberdeen Overlook

344 Total Lots

Total # of Permits Applied for – 291.

Total # of permits released: 268 (92 SFD/176 TH)

Total # of Type I Certificates of Occupancy released – 13.

Total # of Type II Certificates of Occupancy released – 250.

C. Department of Public Works (DPW)

1. City Engineering & Administration

City Engineer

- **Gilbert Meadows** – ESC inspection. Corrections needed. Home and townhome building continue in phase E. Sediment controls weekly inspections. Builder pre-start inspections for lot 0. Water vault inspections for lot 0. Use and Occupancy inspections for lot 0.
- **Aberdeen Overlook** – ESC inspection. In compliance. Home and townhome construction continues in phases 2, 4 & 5. The community center construction is completed. Pre-start inspection for lot 0. U&O Inspection for lots 24 and 25. WM inspections for lot 0. Sediment controls weekly inspections. Builder pre-start inspections. Water vault inspections. Use and Occupancy inspections.
- **Fields of Aberdeen** – ESC inspection. Corrections needed. Completed report. All lots are completed. Site activity has become dormant.
- **Wash X** – ESC inspection. In compliance. Building construction complete. Temporary type 1 U&O inspection and report is complete.
- **Chick-Fil-A** - ESC inspection. In compliance. SWM installation continues.
- **Misc.** – Northgate Business Park paving completed.

Program Manager

22-05 I-95 Water Tower

- Tank is in service and fully operational. Johnston is working close out of the site with Harford County. Site meetings scheduled at HEAT BPS for electrical upgrades ongoing.

22-18 Swan Meadows Utilities

- Memo for Council recommending award to DXI as lowest qualified bidder has been added to the agenda for the October 12, 2026, meeting. Project management and inspection scope has been finalized. Field office location to be secured.

23-07 WTP PFAS Upgrade

- 90% plans on track for mid-October delivery. GHD coordinating with Harford County and MDE for SWM permitting. Ongoing.

24-02 Lead Service Line Inventory Compliance

- Maintenance staff testing pitting locations on GHD field validation list. 68 out of 177 completed. No change.

26-03 Sewer Rehabilitation

- Cleaning schedule expected week of October 12, 2026. No change.

26-04 South Drive Sewer Interceptor

- New sewer mains and manholes on Poplar Alley are active and tied in to existing 8" on Carol and 18" on James. Poplar and James have been repaved. New 12" main and manholes installed on Carol and Walker, but not active yet. Excavation is ongoing.

26-05 WWTP Primary Clarifier #2

- Submittals received and approved. Equipment on order with Amwell. Manufacturer estimates delivery March 2027. No change.

26-06 WWTP Final Clarifier Resurfacing

- Project is active. Clarifier has been enclosed and surface preparation is ongoing.

27-02 Aberdeen Hills Waterline Phase 2

- Survey and preliminary work have begun. Site meeting was held on October 6, 2026. Contractor to develop as-built documents of existing condition and proposed changes for City approval. Ongoing.

Additional Water Source Exploration

- GTA is reviewing City-shared GIS data and historical files from server. GTA has also filed information requests with state, county, and federal agencies. Desktop exercises and review phase to be complete mid-October.

Code Enforcement

FY2027 Curb, Sidewalk, and Street resurfacing 27-01:

- Dorsey St – Goettner Construction completed.
- Sidewalk connectivity on Beards Hill Rd is complete.

City Compliance

- 9 facilities from FY24 failing due to HOA accountability (Windemere) pending legal action.
- SWM Triennial Inspections for FY27 have begun.

Code Enforcement

Code Enforcement	Active	Letters Sent	Follow Up	Closed
Calls	20	-	-	-
Emails	25	-	-	-
Cases	37	6	20	9
Tall Grass Cases	3	0	0	8
Sewer Cap Cases	28	0	0	0
Smoke Test Cases	2	0	0	0
Sink Hole Cases	0	0	0	0
Violations Posted	2	0	0	0
Citations Written	0	0	0	0

- **217 Carol Ave** - Reinspect property on 2026-10-31. Homeowner is getting another dumpster. In progress.
- **700 Maxa Rd** - Code Compliance sent out a final notice letter for tying into city sewer, one certified, one regular. Waiting for 3 estimates or a signed contract. The Williams's are reliant on getting the grant, thus they need the 3rd proposal (Pinnacle) to submit, since this job is estimated at over \$40K. The Williams's are hoping by the end of Oct to have the grant submission completed

GIS Specialist

Fleet Asset Data Review & Application Maintenance

- **Vehicle & Equipment Inventory Audit:**
 - Completed the baseline database for active DPW vehicles and heavy equipment assets, standardizing original capital acquisition costs.
 - Identified legacy record gaps, primarily surrounding missing historical acquisition costs, VINs, and procurement documentation.
- **Data Backfill Strategy:**
 - Initiated cross-referencing of legacy financial systems, municipal purchase orders, and historical vendor invoices to backfill verified procurement costs and asset specs.
- **Fleet Application Updates & Maintenance:**
 - **Asset Classification:** Standardized and populated missing Vehicle/Equipment Type fields across 102 assets (Asset IDs #0001 through #0102).

- **Fleet Garage App:** Resolved missing media displays across fleet apps by enabling dynamic picture viewing for 58 turf and mower assets (mowers, trimmers, blowers, chainsaws, etc.) and related equipment.
- **DPW Fleet Survey Form:** Updated the *DPW Fleet Maintenance, Inspection, and Invoice Tracking Survey* form schema to include dedicated fields for vehicle purchase costs to support full lifecycle tracking.

DPW Administrative Assistant

Facebook/Instagram

- Posted American Legion Crab & Bull Feast on 10/17
- Posted October Yard Waste Collection Day
- Posted First Baptist Church's Fall Festival
- Posted KAB reschedule
- Posted Aberdeen IronBirds 2027 season tickets on sale
- Posted all upcoming Trunk or Treats in Aberdeen
- Posted AFD Open House flyer
- Posted upcoming council working session mtg.
- Posted APD Main St. Business Mtg.
- Posted Way Back Whensday on 1983 Royal Blue Special train

Facebook Data (September 11 – October 8)		
Performance Measure	Qty.	Increase or Decrease
Content Views	91.4k	-6.3%
New Followers	62	+6.9%
Page Visits	2.8k	-12.7%
Interactions	1.1k	+41.5%

Canva

- Designed October Yard Waste Flyer. Posted copies in lobby.
- Began creating upcoming Swan Meadows Community Q&A Meeting.

Website

- Posted October Yard Waste on DPW page.
- Created page for Swan Meadows Utility Replacement project.

Finance

- Processed 3 invoices for payments totaling \$242.17
- Submitted 0 requisition totaling \$0

Misc.

- Filed PO for Project 27-01 for Goettner Construction.
- Set-up 2 step authentication for GovQuest requests.
- Saved and organized more photos from internet for City Photo Library.
- Continued organized original photos for library.
- Email to Boys & Girls Club to transfer pool electricity back to city.
- Sent Finance VSI Aerial W9 and COI to set up in Harris.
- Created information handout package for upcoming Swan Meadows Q&A Mtg.

2. Maintenance Division

BUILDINGS & GROUNDS

- Responded to 24 requests for service.
- Provided chipper service to 11 locations.
- Council Chamber Globe lights cleaned, and lights replaced with LEDs.

STREETS & STORM WATER

- Repaired/graded access road to Well #12.
- Cut 1,887 LF of roadside vegetation and cleaned 9,974 LF of roadside trash.
- Replaced 2 temporary roadway patches with 8.5 tons of asphalt.
- Repaired 3 potholes.
- Repaired a pipe joint in a 24" storm water pipe near Aberdeen Ave.
- Raised a storm drain vault lid near 2 Aberdeen Ave.
- Performed storm water pond maintenance at the DPW Maintenance facility.

WATER & SEWER

- Installed 211 LF of new 2" water main on Coralee Ct.
- Replaced the water services to 630, 631, 626, 631, Coralee Ct.
- Installed 1 residential water meter.
- Repaired sewer services to 230, 308, 338, 342, Center Deen.
- Cut the roots out of a 12" sewer main to restore flow on Swan St. near Defense Dr.

FLEET

- Services: 2 APD: 2
- Scheduled Repairs: 7
- Emergency Repairs: 13
- Unit 37 – DPW Backhoe – sent to dealer for electrical issues
- Unit 84 – APG Pump Truck – Sent to vendor for pump engagement issue.
- Unit 89 – APG Backhoe – sending to vendor for transmission issue.

MANPOWER

- 6 openings in Maintenance.

3. Water/Wastewater Plant Operations

WASTE WATER TREATMENT PLANT

- COA WWTP treated 13.4 million gallons. Sept. 30th to Oct. 6th.
- APG WWTP treated 2.2 million gallons. Sept. 30th to Sept. 6th.
- Moved utility disconnect and Giles lane with D&P electric.

WATER TREATMENT PLANT

- COA WTP treated 3.1 million gallons. Sept. 30th to Oct. 6th.
- APG WTP treated 5.8 million gallons. Sept. 30th to Oct. 6th.
- 11 routine and 1 special bacteriological sample.
- Flushing Well 12 to prepare it before the well is placed back in service.
- Met with contractors to discuss Heat center BPS upgrades.

Department

- 3 operator vacancies- Three applicants in the per-hiring process.
- 1 facility worker vacancy- HR posted job opening.
- 1 plant mechanic vacancy- One applicant in the per-hiring process.
- 1 After hours service calls.
- Sr. Staff meeting.

SUPERINTENDENTS

- 20 APG contract hours.
- WTP PFAS upgrade project progress meeting and SCADA demo meeting.
- Monthly DPW leadership meeting.

D. Human Resources Department

Current Posted Openings – 19 total


- APG Maintenance Shop – 1 -Foreman, 1 Maintenance Worker (Pending Start)
- DPW Maintenance Shop – 6 - Maintenance Workers (2 Pending Start 10/12), 1 - Mechanic
- W/WW – 4 Operators (2 Offers Pending), 1 Mechanic (Offer Pending), 1 Facility Worker
- APD Non-Sworn –1 Admin Tech
- APD Sworn – 3 Officers

Payroll

<u>Period Ending 10/3/2026</u>	<u># of Hours</u>	<u>Payroll Amt</u>
Regular	11,808.25	\$443,934.83
Sick	443.25	\$10,743.06
Vacation	701.19	\$17,179.09
Overtime	422.75	\$23,879.50
On Call O/T	164.00	\$8,827.06
Comp Time	98.00	\$3,514.02
Call-In Overtime	12.00	\$573.39
Personal	140.25	\$3,597.87
Court On-Call Overtime	136.50	\$7,553.72
Patrol Holiday	78.00	\$3,011.96
Holiday	16.00	\$383.84
Shift Differential		\$2,217.62
Bereavement	32.00	\$659.36
 TOTAL PAYROLL	 14,052.19	 \$526,075.32

II. Aberdeen Police Department (APD)

A. APD Calls for Service



APD Calls for Service

Oct 4 - 10, 2026

Total Call for Service/Events Works - 442

Patrol Checks – 49

Community Policing Detail – 21

Foot Patrols – 45

Bike Patrols - 1

Eastern District Incidents

- Fugitive – 2
- Assault - 2

Central District Incidents

- Overdose – 1
- Theft – 2
- Assault – 1
- DUI - 1

Western District Incidents

- DUI – 1
- Domestic Incident – 1
- Missing Person – 1
- Fugitive – 2
- Assault – 8
- Theft – 1
- Child Abuse – 1
- Disorderly – 1

Arrest Sept 27 – Oct 3, 2026

Adult Arrest

9/27/26	202600174891	Warrant
9/27/26	202600219033	Warrant
9/27/26	202600219286	Warrant
9/27/26	202600219205	Theft
9/29/26	202600220468	Domestic Assault
9/30/26	202600221561	Trespassing
10/01/26	202600222708	CDS
10/02/26	202600223358	Warrant
10/02/26	202600223316	DUI

Juvenile Arrest

9/30/26	202600210560	Assault
---------	--------------	---------

B. Weekly Traffic Report

Oct 4 - 10, 2026

Traffic Stops

49 Stops/Contacts

44 State Citations

48 Warnings

0 Safety Equipment Repair Orders

3 DUI

Crashes (Reportable, PI/PD)

1 (1 Property Damage, 0 Personal Injury)

SMART (Speed Monitoring Awareness Radar Trailer)

- N. Rogers Street / Franklin Street
- N. Philadelphia Blvd / Beards Hill Road Extended
- Aberdeen Thruway W / Mt. Royal Avenue

STATTRAK

- S. Parke Street / Plater Street

C. IT

- 30 Miscellaneous user/computer issues
- Daily surveillance camera check
- Daily firewall inspection and report
- Weekly PMI backup checks
- Complete ADP customer service training
- Cullum AD account
- Meters 8 account setup x2
- Trailer Deployment x3
- Stat trak deployment
- Sentinel one deployment x9
- Symantec removal and account cleanup x9
- Machine patches x8
- OS version update x4

D. Accreditations

Proofs of Compliance – 32 files still open

Day	Date	Year 1 Open	Year 2 Open	Year 3 Open	Year 4 Open	Total Open
Monday	10/5/2026	1	2	15	33	51
Tuesday	10/6/2026	1	2	11	26	40
Wednesday	10/7/2026	1	2	11	26	40
Thursday	10/8/2026	1	2	9	20	32
Friday	10/9/2026	1	2	9	20	32

Spending more time studying the standards and matching documents. Moved standards to other commanders' lists. Found that standards were assigned to the wrong divisions. Chief met with me and CALEA Team. Attendees were able to sort through open files and determine the proofs necessary to close the files.

Mock Assessment – All comments from mock assessors were received. This mock assessment included only 9 Standards Chapters. Numerous corrections but no major issues. Sent all mock assessor recommendations to Chief Trabert, Commander Tomlinson, and Records Manager Burdette.

PowerDMS – Document Signatures are up to date.

E. Administration

Administrative Corporal

Fleet

Unit 204 – PM completed this week.

Unit 204 – to All Roads for new paint.

Unit 244 – door repainted by All Roads because the first time it did not match. It is satisfactory now.

Unit 220 – inspected upon return from Off. Wangu.

Reminder sent out to all supervisors for monthly inspection sheets. The ones received were downloaded into the appropriate directory.

Moved units 201 and 206 to the pad at WWTP. They were repaired at DPW.

Unit 231 – pool car – the computer is not working. Mr. Seibel was notified and will address it with Global.

Unit 218 – gas gauge issues and draw issues. The battery keeps dying.

Unit 99 – This is a DPW unit at All Roads. I assisted them with getting it delivered. They stated that they informed Mr. Hartsock several weeks ago and it is just sitting at their shop, finished.

Unit 205 – belongs to Ofc. Soller. Sgt. Davis notified us that it needs the new plates installed.

New Jump Pack was installed in the Sally Port. All officers were notified.

Sent the current stats to all LPR operators for self-evaluation.

Unit 231- At DPW for headlamp.

Reminder email to all officers that PM is important and to not reschedule it if a pool car is simply not available.

Submitted quotes for disposal of vehicles to Captain Reiber. Complete report with all quotes, values, and photographs.

Grants

GVRG – Audit Letter received – 10/16/26 1 pm. Mr. Jack was notified. Lt. Persuhn and Captain Reiber were both notified. Created answers to all grant questions and have in an easy to read format.

MCIN Grant – Submitted monthly stats report, Quarterly stats report, and quarterly invoice.

GVRG – Notified Lt. Persuhn that Mrs. Liberto was able to secure a law enforcement discount on the shields. This saved us \$1,199.87 and will be a new balance for the grant funds.

Community Policing / Relations

Tyler from Target will be donating candy for our Trunk or Treat event.

Asked Vickie about trunk or treating event and when she will need the count.

Prepared OPS plan for Cats & Bat's 5k.

Personnel

The annual PT test has begun, and officers have come forward to complete.

CSS Thomas turned in his resignation verbally.

Set up overtime details in PACE and reminded officers of the availability.

At the direction of Captain Reiber, Lt. Reitz and Tomlinson have been tasked to work the trunk or treat event with me in Festival Park on October 24th.

Attended Lexipol Training Webinar on 10/6/26.

Reached out to MPCTC in reference to Academic Instructor Certifications for Kinlaw and me.

Approved CSS timesheet

Requested that CSS Thomas submit his formal letter of resignation to us.

Reminded sergeants of the required HB 707 training. Sgt. Alexander's squad has completed it.

Notified D/Sgt. Shoffstall of Armiger falling behind on Police One trainings.
Emailed Skills Manager about my additional training that was approved and paid for.

Miscellaneous

PIO postings.

Added overtime to PACE for 5k on October 31st.

Community events – trunk or treat – Jennie is grabbing the candy for these events.

Entered trainings into Skills Manager

Retrieved subpoenas

Sent out patches.

Worked on PoliceOne training assignments.

Entered invoices

Returned invoice and email to Mr. Patel of the Aberdeen Car Wash. Contract was cancelled and we should have no invoices.

MPCTC Audit – submitted response. Copied Captain.

Prescription Drug Takeback – all details were provided to Det. Garrett who will be working the event.

Community Safety Specialist Rodney Thomas #554

10/05 Monday:

- Arrived at Festival Park for a foot patrol.
- Arrived for foot patrol on W. Bel Air Ave. Patronized the local businesses which yielded no issues or concerns.
- Arrived at the Train Station, which was secure and in good condition, conducted a walkthrough of the Train Station.
- Patrolled the Train Station and parking areas.
- Cleared and secured the Train Station after the cleaning crew had departed.
- Patrolled the Train Station and parking areas until the end of my shift.

10/06 Tuesday:

- Arrived at the Train Station, which was clean and in good condition, conducted a walkthrough of the Train Station.
- Patrolled the Train Station and parking areas.
- Arrived at Festival Park for a foot patrol.
- Arrived for foot patrol on W. Bel Air Ave. Patronized the local businesses which yielded no issues or concerns.
- Arrived at the Train Station, which was clean and in good condition, conducted a walkthrough of the Train Station.
- Patrolled the Train Station and parking areas.
- Cleared and secured the Train Station after automatic doors locked.
- Patrolled the Train Station and parking areas.
- Cleared and secured the Train Station after the cleaning crew had departed.
- Patrolled the Train Station and parking areas until the end of my shift.

10/07 Wednesday:

- Arrived at Festival Park for foot patrol.
- Arrived for foot patrol on W. Bel Air Ave. Patronized the local businesses which yielded no issues or concerns.
- Arrived at the Train Station, which was clean and in good condition, conducted a walkthrough of the Train Station.
- Patrolled the Train Station and parking areas.
- Cleared and secured the Train Station after automatic doors locked.

- Patrolled the Train Station and parking areas.
- Cleared and secured the Train Station after the cleaning crew had departed.
- Patrolled the Train Station and parking areas.
- Arrived for foot patrol on W. Bel Air Ave to patronize the local businesses which yielded no issues or concerns until the end of my shift.

10/08 Thursday:

- Arrived at Festival Park for foot patrol.
- Arrived at the Train Station, which was clean and in good condition, conducted a walkthrough of the Train Station.
- Patrolled the Train Station and parking areas.
- Cleared and secured the Train Station after automatic doors locked.
- Patrolled the Train Station and parking areas.
- Cleared and secured the Train Station after the cleaning crew had departed.
- Patrolled the Train Station and parking areas.
- Arrived for foot patrol on W. Bel Air Ave to patronize the local businesses, which yielded no issues or concerns until the end of my shift.

10/09 Friday:

- Arrived at Festival Park for foot patrol.
- Arrived at the Train Station, which was clean and in good condition, conducted a walkthrough of the Train Station.
- Patrolled the Train Station and parking areas.
- Cleared and secured the Train Station after the automatic doors locked.
- Patrolled the Train Station and parking areas.
- Cleared and secured the Train Station after the cleaning crew had departed.
- Patrolled the Train Station and parking areas.
- Arrived at DPW to guide the tow truck driver as to where he should leave the vehicle.
- Arrived for foot patrol on W. Bel Air Ave to patronize the local businesses, which yielded no issues or concerns until the end of my shift.

F. 24 Hour Reports

Date of Incident: 10/06/2026

Incident Type: Domestic Assault/ 1st Degree Assault

Incident Report Number: 202600226001

Location of Incident: [REDACTED]

Reporting Officer: Off. Culshaw A188

Synopsis of Events:

On 10/06/26, Off. Culshaw responded to the Aberdeen Police Department in regard to a walk in. Upon arrival she made contact with [REDACTED] and her [REDACTED]. [REDACTED] informed Off. Culshaw, [REDACTED] boyfriend, [REDACTED] had gotten into a physical altercation earlier in the morning. [REDACTED] advised that [REDACTED] had went through his phone and seen that [REDACTED] had been talking to a [REDACTED]. [REDACTED] continued by stating that with this information [REDACTED] told [REDACTED] that she didn't want to be with him anymore. Once this information was disclosed [REDACTED] advised that [REDACTED] started yelling at [REDACTED] and began to strangle her. [REDACTED] advised that [REDACTED] was held in the house against her will for two hours before being able to get away. Off. Culshaw observed marks on [REDACTED] neck and on her rib cage consistence to [REDACTED] story of events.

Investigation is ongoing.

Date of Incident: 10/09/26

Incident Type: DUI arrest

Incident Report Number: 202600228963

Location of Incident: [REDACTED]

Reporting Officer: Ofc. Buettner

Synopsis of Events:

On October 9th, 2026, at approximately 1503 hours, Officers were notified to conduct a well-being check on a person slumped over the steering wheel of a vehicle at [REDACTED]

Upon arrival the Officers observed the Operator seated in the driver's seat slumped over. Contact was made with the operator and there located in the rear of the vehicle in a car seat was an infant female. Ofc. Buettner responded and conducted a Standard Field Sobriety Test at which time, based on the clues indicated the Operator was taken into custody and transported to the APD Station for a breath analysis test. The infant was also transported to the station and CPS Supervisor Dione White was contacted and advised of the circumstances.

The Child's Father [REDACTED] was later contacted and advised of the incident. He advised he would be contacting the child's mother's sister to respond to take custody of the child. There was no evidence that there was any childcare bag located in the vehicle. This incident report will be forwarded to CPS for their investigation. The Child's Father lives in Baltimore with no means transportation.

The Child's Aunt [REDACTED] arrived at the station to take custody of the infant.

Date of Incident: 10/11/2026

Incident Type: Domestic Assault/ 1st Degree Assault

Incident Report Number: 202600229588

Location of Incident: [REDACTED]

Reporting Officer: Off. Culshaw A188

Synopsis of Events:

On 10/10/26 Officers were dispatched to [REDACTED] in regards to a Physical Domestic with injuries.

Upon arrival, Officer Culshaw made contact with reporting party [REDACTED]. [REDACTED] advised that her sons [REDACTED] and [REDACTED] had got into a physical altercation. While talking with [REDACTED], [REDACTED] came out of the apartment enraged with blood running down face. [REDACTED] refused to listen to Officer Culshaw commands to stop, and to not leave the scene and was eventually detained after resisting as he tried to get away from Officer Culshaw. Officers found a large kitchen knife concealed in his left pocket that he had used to chase after his brother [REDACTED].

[REDACTED] was found down the road and explained that he had to get away from his brother [REDACTED] by jumping out of the second-floor window after the altercation occurred and was informed by [REDACTED] "Oh you want to die today" as [REDACTED] grabbed the knife and went after him.

Both individuals refused medical attention.

[REDACTED] was later transported to Harford County Detention Center.