

COMMERCIAL MOTORS REBATE APPLICATION

SECTION A. CUSTOMER INFORMATION (please print)

Step 1:

Account Name	Doing Business As (if different from Account Name)	Account Number	
Installation Address	City	State	Zip Code
Mailing Address (if different from Installation Address)	City	State	Zip Code

Step 2:

☐ Please apply rebate to our account. **NOTE: We do not send rebate checks by mail. Rebates will be available for office pickup or hand delivered. Rebates \$500 and less will be issued as a bill credit to your account. If a box is not checked, rebates greater than \$500 will also be issued as a bill credit.**
☐ Please provide a rebate check.

Step 3:

How did you hear about CONSERVE & SAVE™? (pick one)

☐ Contractor/Retailer
 ☐ Radio/TV
 ☐ Social Media
 ☐ RPU Plugged In Newsletter
 ☐ RPU Employee
 ☐ RPU Website
 ☐ Other:

Step 4:

Type of Business:

☐ Church	☐ Government	☐ Grocery	☐ Health	☐ Industrial	☐ Lodging
☐ Multi-Family	☐ Office	☐ Restaurant	☐ Retail	☐ School	☐ Other:

SECTION B. CONTACT INFORMATION (please print) / CUSTOMER SIGNATURE

ATTENTION: ALL INVOICES OR RECEIPTS AND ALL SPECIFICATION SHEETS MUST BE INCLUDED WITH YOUR FULLY-COMPLETED AND SIGNED APPLICATION OR APPLICATION WILL BE RETURNED.

Contact Name (rebate check will be mailed to contact)	Daytime Phone Number (with area code)	Email

By typing my first and last names in the box below, I am signing this document and certify that all the information in the application (including any associated worksheets) is correct to the best of my knowledge. I have read and agree to the Terms and Conditions on the back of this application booklet. I understand that if any equipment in conjunction with this application is ordered, purchased, or installed before approval from Rochester Public Utilities (RPU) is received, the proposed project may not qualify for a rebate.

Customer's Signature	Date

☐ Check here if you DO NOT give us permission to use your business name in advertising our CONSERVE & SAVE™ programs.

SECTION C. CONTRACTOR / VENDOR INFORMATION (please print)

Company Name	Contact Name		
Address	City	State	Zip
Daytime Phone Number (with area code)	Email		

OFFICE USE ONLY

Date Received:

TOTAL REBATE AMOUNT:

Inspected (Date & Initials):

Pre:

Post:

Approval:

\$

Date:

A/N:

SECTION D. REBATE INFORMATION – NEMA PREMIUM-EFFICIENCY AND ENHANCED PREMIUM-EFFICIENCY MOTORS

EXISTING MOTOR		NEW MOTOR												REBATE
A	B	C	D	E	F	G	H	I	J	K	L	M	N	O
Existing Motor Efficiency (%)	N = New Installation R = Replace Failed W = Replace Working ¹ I = Inventory	Quantity	Motor Size (HP)	Speed (RPM)	Enclosure ² (List one: TEFC, EP, or ODP)	Manufacturer Name	Model Number*	Serial Number	Full-Load Efficiency ³ (%)	Enhanced? ⁴	Annual Hours of Operation	Estimated Install Date ⁵ (A, B, or C)	Motor Cost	Rebate (Table 1 or 2)
1.										☐ Yes				
2.										☐ Yes				
3.										☐ Yes				
4.										☐ Yes				
5.										☐ Yes				
6.										☐ Yes				
7.										☐ Yes				

* Must include specification sheet showing model number, HP, motor efficiency, RPM, and enclosure type.

SECTION D: PREMIUM-EFFICIENCY MOTORS TOTAL REBATE:

¹ Existing motor must be in working condition for the new motor to be eligible for the “Replace Working” motor rebate.

² Motor Enclosure Types: **TEFC** = **Totally Enclosed Fan Cooled**; **EP** = **Explosion Proof**; **ODP** = **Open Drip Proof**

³ The National Electric Manufacturers Association (NEMA) nominal full-load efficiency of the new motor(s) must meet or exceed the efficiency shown in Premium-Efficiency Motor Table 5 (see page 5).

⁴ Check this column if the new motor efficiency meets or exceeds the “Enhanced” efficiency shown in Enhanced Premium-Efficiency Motor Table 6 (see page 5). If applicable, select rebate from Table 2.

⁵ For inventoried Enhanced Premium Efficiency motors only, please insert the estimated installation date: **A = 2–12 months**, **B = 12–24 months**, **C = over 24 months**.

TABLE 1 – NEMA PREMIUM-EFFICIENCY MOTOR REBATE SCHEDULE – MUST REPLACE A WORKING MOTOR

Motor HP	1	1.5	2	3	5	7.5	10	15	20	25	30	40	50	60	75	100	125	150	200
Replace Working Rebate	\$100	\$120	\$140	\$160	\$200	\$240	\$300	\$400	\$520	\$660	\$700	\$800	\$1,000	\$1,100	\$1,200	\$1,800	\$2,100	\$2,200	\$2,400

TABLE 2 – ENHANCED PREMIUM-EFFICIENCY MOTOR REBATE SCHEDULE

Motor HP	1	1.5	2	3	5	7.5	10	15	20	25	30	40	50	60	75	100	125	150	200
New or Replace Failed Rebate	\$40	\$45	\$55	\$60	\$75	\$90	\$115	\$150	\$200	\$250	\$275	\$300	\$375	\$400	\$450	\$675	\$775	\$825	\$900
Replace Working Rebate	\$120	\$135	\$165	\$180	\$225	\$270	\$345	\$450	\$600	\$750	\$825	\$900	\$1,125	\$1,200	\$1,350	\$2,025	\$2,325	\$2,475	\$2,700
Inventory Rebate	\$15	\$25	\$30	\$40	\$45	\$50	\$60	\$75	\$100	\$120	\$135	\$150	\$190	\$220	\$225	\$340	\$390	\$415	\$450

SECTION E. REBATE INFORMATION – ECM HVAC FAN MOTORS

NOTE: New ECM HVAC Fan Motors between 62W (1/12 HP) and 746W (1HP) must replace a working motor to qualify for a rebate.

EQUIPMENT								REBATE	
A	B	C	D	E	F	G	H	I	J
Project Type (check one)	Design CFM	Make	Model	Annual Cooling Hours (Table 3)	Annual Heating Hours (Table 3)	Quantity	Total Cost	Rebate per Motor	Total Rebate (G x I)
1. ☐ Retrofit ☐ New								\$60	
2. ☐ Retrofit ☐ New								\$60	
3. ☐ Retrofit ☐ New								\$60	
4. ☐ Retrofit ☐ New								\$60	
5. ☐ Retrofit ☐ New								\$60	
6. ☐ Retrofit ☐ New								\$60	
7. ☐ Retrofit ☐ New								\$60	

ECM = Electronically Commutated Motor

SECTION E: ECM HVAC FAN MOTORS TOTAL REBATE:

TABLE 3 – GUIDELINES FOR COOLING & HEATING HOURS

Business Type	Cooling Hours	Heating Hours
Convenience Store	986	1,546
Education – Community College/University	785	1,616
Education – Primary	408	1,961
Education – Secondary	563	2,098
Health/Medical – Clinic	865	1,830
Health/Medical – Hospital	1,298	2,054
Lodging	754	1,934
Manufacturing	589	1,144
Office – Low Rise	446	1,610
Office – Mid Rise	651	1,793
Office – High Rise	1,263	1,760
Other/Miscellaneous	729	1,739
Restaurant	652	1,530
Retail – Large Department Store	686	1,444
Retail – Strip Mall	574	1,393
Warehouse	409	1,533

SECTION F. REBATE INFORMATION – ECM CIRCULATOR PUMPS

EQUIPMENT								REBATE	
A	B	C	D	E	F	G	H	I	J
Project Type (check one)	Pump Type	Size ¹	Unit Code (Table 4)	Make	Model	Quantity	Total Cost	Rebate per Pump (Table 4)	Total Rebate (G x I)
1. ☐ Retrofit ☐ New	☐ Cooling Water Circulator Pump ☐ Heating Water Circulator Pump ☐ Domestic Hot Water Circulator Pump	_____ Watts							
2. ☐ Retrofit ☐ New	☐ Cooling Water Circulator Pump ☐ Heating Water Circulator Pump ☐ Domestic Hot Water Circulator Pump	_____ Watts							
3. ☐ Retrofit ☐ New	☐ Cooling Water Circulator Pump ☐ Heating Water Circulator Pump ☐ Domestic Hot Water Circulator Pump	_____ Watts							
4. ☐ Retrofit ☐ New	☐ Cooling Water Circulator Pump ☐ Heating Water Circulator Pump ☐ Domestic Hot Water Circulator Pump	_____ Watts							
5. ☐ Retrofit ☐ New	☐ Cooling Water Circulator Pump ☐ Heating Water Circulator Pump ☐ Domestic Hot Water Circulator Pump	_____ Watts							
6. ☐ Retrofit ☐ New	☐ Cooling Water Circulator Pump ☐ Heating Water Circulator Pump ☐ Domestic Hot Water Circulator Pump	_____ Watts							

ECM = Electronically Commutated Motor

SECTION F: ECM CIRCULATOR PUMPS TOTAL REBATE:

TABLE 4 – ECM CIRCULATOR PUMPS QUALIFYING EQUIPMENT AND REBATE SCHEDULE

Unit Code	Size ¹	Rebate per Pump
ECMCP1-19	< 30 Watts	\$50
ECMCP2-19	30 – 49 Watts	\$75
ECMCP3-19	50 – 750 Watts	\$100

¹ Circulator pump motor must be no greater than 750 Watts (1 Horsepower) in size.

Motor Wattage = Rated Horsepower x 746

Example: 3/4 HP Motor = 3 / 4 x 746 = 560 Watts

TABLE 5 – PREMIUM-EFFICIENCY MOTOR TABLE – National Electric Manufacturers Association (NEMA) Minimum Qualifying Motor Efficiencies

Motor Size (HP)	Totally Enclosed Fan Cooled (TEFC) & Explosion Proof (EP) Motors				Open Drip-Proof (ODP) Motors			
	RPM LEVELS				RPM LEVELS			
	3600	1800	1200	900	3600	1800	1200	900
1.0	77.0%	85.5%	82.5%	75.5%	77.0%	85.5%	82.5%	75.5%
1.5	84.0%	86.5%	87.5%	78.5%	84.0%	86.5%	86.5%	77.0%
2.0	85.5%	86.5%	88.5%	84.0%	85.5%	86.5%	87.5%	86.5%
3.0	86.5%	89.5%	89.5%	85.5%	85.5%	89.5%	88.5%	87.5%
5.0	88.5%	89.5%	89.5%	86.5%	86.5%	89.5%	89.5%	88.5%
7.5	89.5%	91.7%	91.0%	86.5%	88.5%	91.0%	90.2%	89.5%
10.0	90.2%	91.7%	91.0%	89.5%	89.5%	91.7%	91.7%	90.2%
15.0	91.0%	92.4%	91.7%	89.5%	90.2%	93.0%	91.7%	90.2%
20.0	91.0%	93.0%	91.7%	90.2%	91.0%	93.0%	92.4%	91.0%
25.0	91.7%	93.6%	93.0%	90.2%	91.7%	93.6%	93.0%	91.0%
30.0	91.7%	93.6%	93.0%	91.7%	91.7%	94.1%	93.6%	91.7%
40.0	92.4%	94.1%	94.1%	91.7%	92.4%	94.1%	94.1%	91.7%
50.0	93.0%	94.5%	94.1%	92.4%	93.0%	94.5%	94.1%	92.4%
60.0	93.6%	95.0%	94.5%	92.4%	93.6%	95.0%	94.5%	93.0%
75.0	93.6%	95.4%	94.5%	93.6%	93.6%	95.0%	94.5%	94.1%
100.0	94.1%	95.4%	95.0%	93.6%	93.6%	95.4%	95.0%	94.1%
125.0	95.0%	95.4%	95.0%	94.1%	94.1%	95.4%	95.0%	94.1%
150.0	95.0%	95.8%	95.8%	94.1%	94.1%	95.8%	95.4%	94.1%
200.0*	95.4%	96.2%	95.8%	94.5%	95.0%	95.8%	95.4%	94.1%

* Motors greater than 200 HP may be eligible for a rebate under our Custom Efficiency Rebate Program.

TABLE 6 – ENHANCED PREMIUM-EFFICIENCY MOTOR TABLE – NEMA Minimum Qualifying Motor Efficiencies

Motor Size (HP)	Totally Enclosed Fan Cooled (TEFC) & Explosion Proof (EP) Motors				Open Drip-Proof (ODP) Motors			
	RPM LEVELS				RPM LEVELS			
	3600	1800	1200	900	3600	1800	1200	900
1.0	78.0%	86.5%	83.5%	78.0%	78.0%	86.5%	83.5%	78.0%
1.5	85.0%	87.5%	88.5%	81.0%	85.0%	87.5%	87.5%	79.5%
2.0	86.5%	87.5%	89.5%	86.5%	86.5%	87.5%	88.5%	88.5%
3.0	87.5%	90.5%	90.5%	86.5%	86.5%	90.5%	89.5%	89.5%
5.0	89.5%	90.5%	90.5%	88.5%	87.5%	90.5%	90.5%	90.5%
7.5	90.5%	92.7%	92.0%	89.5%	89.5%	92.0%	91.2%	92.0%
10.0	91.2%	92.7%	92.0%	92.0%	90.5%	92.7%	92.7%	92.7%
15.0	92.0%	93.4%	92.7%	92.0%	91.2%	94.0%	92.7%	92.7%
20.0	92.0%	94.0%	92.7%	92.7%	92.0%	94.0%	93.4%	93.4%
25.0	92.7%	94.6%	94.0%	92.7%	92.7%	94.6%	94.0%	93.4%
30.0	92.7%	94.6%	94.0%	94.0%	92.7%	95.1%	94.6%	94.0%
40.0	93.4%	95.1%	95.1%	94.0%	93.4%	95.1%	95.1%	94.0%
50.0	94.0%	95.5%	95.1%	94.6%	94.0%	95.5%	95.1%	94.6%
60.0	94.6%	96.0%	95.5%	94.6%	94.6%	96.0%	95.5%	95.1%
75.0	94.6%	96.4%	95.5%	95.5%	94.6%	96.0%	95.5%	96.0%
100.0	95.1%	96.4%	96.0%	95.5%	94.6%	96.4%	96.0%	96.0%
125.0	96.0%	96.4%	96.0%	96.0%	95.1%	96.4%	96.0%	96.0%
150.0	96.0%	96.8%	96.8%	96.0%	95.1%	96.8%	96.4%	96.0%
200.0*	96.4%	97.2%	96.8%	96.4%	96.0%	96.8%	96.4%	96.0%

* Motors greater than 200 HP may be eligible for a rebate under our Custom Efficiency Rebate Program.

SECTION G. TERMS AND CONDITIONS

1. ELIGIBILITY

Rebates are available to non-residential customers of Rochester Public Utilities (RPU). All products must be in use in facilities in RPU's service territory. The applicant shall be an end-user (i.e., not a motor wholesaler, distributor, or installer) of either commercial or industrial motors.

2. APPLICATION

Program is offered January 1 through December 31 of the respective calendar year. **Due to limited funding, this rebate offer can be changed or withdrawn at any time without notice and is available on a first-come, first-served basis.** All projects must be pre-approved by RPU to qualify for a rebate. The entire rebate application must be read and filled out completely or the application will be returned.

3. INSPECTION AND VERIFICATION

RPU reserves the right to inspect the customer's facility through on-site visits before and after new equipment installation or inventory to verify rebate eligibility. RPU reminds you to follow all local permitting and building code ordinances.

4. INSTALLATION AND REBATE AMOUNTS

Qualifying energy-efficient motors must be new and installed and operational within six (6) months of the date of purchase are eligible for rebate under the NEW or REPLACEMENT rebate schedule. Additional time may be granted subject to RPU's pre-approval. Qualifying energy-efficient motors being used for replacement of on-site inventory are eligible for rebate under the INVENTORY rebate schedule. In no case will the rebate paid by RPU exceed the purchase price of the equipment. The maximum rebate amount may be limited.

5. INVOICE AND PAYMENT

Following inspection and verification (see #3) and completed installation, the customer must notify RPU and submit original invoices specifying the model number, quantity and price of all materials purchased, the date ordered, installation costs, and applicable taxes. After satisfactory review of the invoices and on-site verification, a rebate check will be issued to the Customer. Vendors or contractors are not eligible to receive the rebate. Please allow 6–10 weeks from the date of on-site inspection for delivery of payment. RPU reserves the right to apply rebates to past due accounts.

6. EQUIPMENT ELIGIBILITY REQUIREMENTS

NEMA Premium-Efficiency and Enhanced Premium-Efficiency Motors: Eligible motors must be NEMA design B or C, AC – 3-phase, 1 to 200 HP and shall be approved under the electrical safety code. Eligible high-efficiency motors must meet or exceed the Utility's minimum efficiency requirements as shown in the Premium-Efficiency Motor Tables according to its respective characteristics. New motor must replace a working motor to be eligible for Premium-Efficiency Motor Rebates shown in Table 1. All 3-phase motors must have a NEMA nominal efficiency ratings clearly stamped on the nameplate. Rewound motors of any kind are not eligible. Motors and equipment with motors that qualify for RPU rebates under other RPU programs are not eligible for a rebate payment under this program.

Existing motor must be in working condition for new motor to be eligible for working motor rebate.

The NEMA-rated full-load efficiency of the new motor must meet or exceed the efficiency shown in Motor Tables to be eligible for the Enhanced Premium-Efficiency Motor Rebate.

ECM HVAC Fan Motors: New ECM HVAC fan motors between 62W (1/12 HP) and 746W (1 HP) must replace a working motor to qualify for a rebate. Eligible motors must be new electronically commutated, DC brushless, or permanent magnet style on fan- powered terminal box, fan coil, or HVAC supply/return air fan. Removed fan motors must not be re-used within RPU's service territory.

ECM Circulator Pumps: Eligible circulator pump motors must be new electronically commutated, DC brushless, or permanent magnet style. Circulator pump motor must be capable of variable speed operation and must include integrated controls that automatically modulate flow based on demand. Circulator pump motor must be > 1/50 horsepower and < 1 horsepower in size. Removed fan motors must not be re-used within RPU's service territory.

7. TAX INFORMATION

RPU will not be responsible for any tax liability imposed as a result of the rebate payment(s). Customers are advised to consult their tax advisors for details.

8. DISCLAIMER

RPU does not guarantee that the implementation of energy-efficient measures or use of the equipment purchased or installed pursuant to this program will result in energy or cost savings. RPU makes no warranties, expressed or implied, with respect to any equipment purchased or installed including, but not limited to, any warrant of merchantability or fitness for purpose. In no event shall RPU be liable for any incidental or consequential damages. Customers are solely responsible for the proper disposal of existing equipment. Consult the Minnesota Pollution Control Agency (MPCA) office for details at 800-657-3864.

9. ENDORSEMENT

RPU does not endorse any particular vendor, manufacturer, product, or system in promoting this rebate program. Listing a vendor or product does not constitute an endorsement, nor does it imply that unlisted vendors or products are deficient or defective in any way.

10. PRIVACY

Information contained in this rebate application may be shared with the Minnesota Department of Commerce and our co-op partners and also may be used in our advertising efforts with your permission as granted in Section B of this rebate application.

11. APPLICATION SUBMISSION

Submit completed forms and required documentation to RPU.

Send by Mail: Rochester Public Utilities
Attn: Rebate Processing
4000 East River Rd NE
Rochester, MN 55906-2813

Send by Email: rebates@rpu.org

Questions: 507-280-1537

Website: www.rpu.org